

Printing date 12.05.2023

CAS: 8042-47-5

EINECS: 232-455-8

Reg.nr.: 01-2119487078-27

Version number 2

Revision: 12.05.2023

5		
SECTION 1: Identificat	ion of the substance/mixture and of th	ne company/undertaking
· 1.1 Product identifier		
• Trade name: SHERADUETT	SOFT	
No further relevant informatic	s of the substance or mixture and uses advised n available. se / the mixture: Two-component addition cure sil	-
• 1.3 Details of the supplier of • Manufacturer/Supplier: SHERA Werkstoff-Technolog Espohlstraße 53 D-49448 Lemförde GERMANY sdb@shera.de + 49 (0) 54 43 – 99 33 – 0	-	
 1.4 Emergency telephone n +49 5443 9933-0 This number 	Ible from: Department of product security. umber: er is serviced during office hours. hursday from 8 am - 5 pm, Friday from 8 am - 3 pn	n.
SECTION 2: Hazards i	dentification	
_	ostance or mixture Regulation (EC) No 1272/2008: amage to organs through prolonged or repeated e:	xposure.
 Hazard pictograms: Void. Signal word: Void. Hazard statements: Void. Precautionary statements: Additional information: Quartz / cristobalite: Fibres t are processed under normal criteria, labelling is not re n°1272/2008. 	hat are embedded in polymer are not likely to po application conditions. Even though the product is quired according to Article 23 and Annex 1 ent B (coloured): Chemical bonds that contain silice	s graded in accordance with EU (section 1.3.4.1) of Directive
	ion/information on ingredients	
 3.2 Mixtures Description: Polyorganosiloxane mixture, Component A, white: Catalys 	fillers, additive. t Component B, coloured: Base, contains polymet	hyl hydrogen siloxane
Dangerous components:		
CAS: 14464-46-1 EINECS: 238-455-4	cristobalite STOT RE 1, H372	10-<20%

White mineral oil, petroleum

Asp. Tox. 1, H304

GB

1-<10%



Revision: 12.05.2023

Printing date 12.05.2023

Version number 2

Trade name: SHERADUETT-SOFT

	(Conto. of page 1)	
octamethylcyclotetrasiloxane	0.01-<0.079%	
Flam. Lig. 3, H226; Repr. 2, H361f; Aquatic Chronic 1, H410		
(M=10)		
PBT; vPvB		
	octamethylcyclotetrasiloxane Flam. Liq. 3, H226; Repr. 2, H361f; Aquatic Chronic 1, H410 (M=10)	Flam. Liq. 3, H226; Repr. 2, H361f; Aquatic Chronic 1, H410 (M=10)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: The product can't be breathed in under normal circumstances.
- · After skin contact: Remove dirty clothing and wash before using again.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing:
- Do not induce vomiting. Risk of aspiration!
- If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO , sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents:
- Alkaline powder extinguishing agent. Water.
- Waler. 5.2 Special bazards arising fro
- 5.2 Special hazards arising from the substance or mixture
- Combustible.

Component B: This product can produce hydrogen. Vapours can form mixtures with air which pose a risk of explosion.

- \cdot 5.3 Advice for firefighters In case of fire, cool endangered receptacles with water spray.
- · Protective equipment:
- Wear self-contained respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures High slip hazard because of spilled product. Keep away from ignition sources.
 6.2 Environmental precautions Do not allow to enter sewers / surface or ground water.
- \cdot 6.3 Methods and material for containment and cleaning up

Pick up mechanically.

Component B: Do not use a basic product.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

(Contd. on page 3)



Revision: 12.05.2023

Printing date 12.05.2023

Version number 2

Trade name: SHERADUETT-SOFT

(Contd. of page 2)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

The usual precautionary measures are to be adhered to when handling chemicals.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles:
- Keep container in a well-ventilated, cool and dry place.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: No information available.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information:

Quartz: Fibres that are embedded in polymer are not likely to pose a health risk as long as they are processed under normal application conditions.

The lists valid during the making were used as basis.

8.2 Exposure controls

- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.
- Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- Hand protection

The glove material has to be impermeable and resistant to the product. Due to missing tests no recommendation to the glove material can be given for the product. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves:

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Not required.
- · Body protection: Protective work clothing.

SECTION 9: Physical and	chemical properties
-------------------------	---------------------

- \cdot 9.1 Information on basic physical and chemical properties
- General Information
 Physical state

Solid

(Contd. on page 4)



Revision: 12.05.2023

Printing date 12.05.2023

Version number 2

Trade name: SHERADUETT-SOFT

	(Contd. of page
Colour:	Various colours
Odour:	Odourless
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	Undetermined.
Flammability	Not determined.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	>200 °C (ASTM D56)
	>400 °C
Auto-ignition temperature:	> 200 °C
Decomposition temperature:	
рН	Not applicable.
	Mixture is non-soluble (in water).
Viscosity:	
Kinematic viscosity	Not applicable.
Kinematic viscosity	
Dynamic:	Not applicable.
Solubility	
water:	Insoluble.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	<0.1 hPa
Vapour pressure:	
Density and/or relative density	
Density at 20 °C:	1.85 g/cm³
Relative density	Not determined.
Vapour density	
	Not applicable.
9.2 Other information	Solubility: Diethyl ether: Miscible in any proportion. Chlorinated solvents: Miscible in any proportion. Aromatic hydrocarbons: Miscible in any proportion. Aliphatic hydrocarbons: Miscible in any proportion. Acetone: Barely soluble.
	Ethanol: Barely soluble.
Appearance:	
Form:	Solid
Important information on protection of health	and
environment, and on safety.	
Ignition temperature:	No data available.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
VOC (EC):	0.00 %
Change in condition:	
Evaporation rate	Not applicable.
Information with regard to physical hazard clas	
Explosives	Void.
Flammable gases	Void.
Aerosols	Void.
Oxidising gases	Void.
Gases under pressure	Void.
Flammable liquids	Void.
Flammable solids	Void.
Self-reactive substances and mixtures	Void.
	Void.
Evrophone liquids	
	Void
Pyrophoric liquids Pyrophoric solids	Void. (Contd. on page



Revision: 12.05.2023

Printing date 12.05.2023

Version number 2

Trade name: SHERADUETT-SOFT

		(Contd. of page 4
· Self-heating substances and mixtures	Void.	
Substances and mixtures, which emit flamma	able	
gases in contact with water	Void.	
Oxidising liquids	Void.	
Oxidising solids	Void.	
Organic peroxides	Void.	
Corrosive to metals	Void.	
· Desensitised explosives	Void.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No data available.

- · 10.2 Chemical stability No decomposition if used according to specifications.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions

Component A: Unknown.

- Component B: The product can produce hydrogen.
- 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials

Oxidizing agents, strong.

Alkalis (alkalis). Metal salts and metal complexes.

10.6 Hazardous decomposition products

Component B: Reaction with alkalis, amines, strong acids, metal salts. The reaction occurs with formation of hydrogen. Explosion hazard. Can be released in case of fire: Carbon monoxide (CO). Carbon dioxide (CO). Hydrogen (H).

Poisonous gases / vapours.

Amorphous silica.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity:
- No data available.

Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

556-67-2 octamethylcyclotetrasiloxane

Oral NOAEL 960 mg/kg (Rabbit) (OECD 411)

Inhalative NOAEL 1.82 mg/l (Rat) (OECD 453)

Serious eye damage/irritation Based on available data, the classification criteria are not met.

STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Quartz / cristobalite: Fibres that are embedded in polymer are not likely to pose a health risk as long as they are processed under normal application conditions. Even though the product is graded in accordance with EU criteria, labelling is not required according to Article 23 and Annex 1 (section 1.3.4.1) of Directive n°1272/2008.

(Contd. on page 6)

GB



Version number 2

Revision: 12.05.2023

Trade name: SHERADUETT-SOFT

Printing date 12.05.2023

(Contd. of page 5)

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

8042-47-5 White mineral oil, petroleum

LL50 (96h) >100 mg/l (Fish) (OECD 203)

556-67-2 octamethylcyclotetrasiloxane

- EC50/48 h >0.0029 mg/l (Daphnia (Daphnia magna)) (OECD 202)
- LC50/96 h >0.016 mg/l (Fish) (OECD 204)
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation: Waste disposal according to official state regulations.
- · Waste disposal key:

The waste disposal code as prescribed in the EuropeanWaste Catalogue (EWC) depends on the waste producer and can thus vary for a product. The waste disposal code should thus be obtained separately from the waste producer in each case.

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

14.1 UN number or ID number		
· ADR, ADN, IMDG, IATA	Void.	
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void.	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void.	



Printing date 12.05.2023

Version number 2

Revision: 12.05.2023

Trade name: SHERADUETT-SOFT

	(0	Contd. of page 6
· 14.4 Packing group · ADR, IMDG, IATA	Void.	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according	g to IMO	
instruments	Not applicable.	
· UN "Model Regulation":	Void.	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- · Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

- Employment restrictions concerning pregnant and lactating women must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on the state of knowledge and experience pertaining on the date of issue. The information is not to be taken as a guarantee of product properties and do not constitute the basis for a contractual legal relationship. The details must not be changed or transferred to other products. Duplication in an unchanged state is permissible.

Relevant phrases

- H226 Flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H361f Suspected of damaging fertility.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H410 Very toxic to aquatic life with long lasting effects.

· Department issuing SDS: Department of product security.

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative Flam. Lig. 3: Flammable liquids – Category 3
- Repr. 2: Reproductive toxicity Category 2
- STOT RE 1: Specific target organ toxicity (repeated exposure) Category 1
- Asp. Tox. 1: Aspiration hazard Category 1
- Aquatic Chronic 1: Hazardous to the aquatic environment long-term aquatic hazard Category 1
- \cdot * Data compared to the previous version altered.