Printing date 02.11.2022 Version number 3 (replaces version 2) Revision: 02.11.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: SHERADON

· Article number:

501010

501020

501030

· 1.2 Relevant identified uses of the substance or mixture and uses advised against:

No further relevant information available.

- · Application of the substance / the mixture: Manufacture of dental products.
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Manufacturer:

retec® Kunststofftechnik GmbH

Industriestrasse 2

D-61191 Rosbach v.d.H

+49 (0) 6007 91570

info@retec-dent.de

www.retec-dent.de

Contact person: Dr. Manfred Steinbach

Supplier

SHERA Material Technology GmbH & Co. KG

Espholstrasse 53

D-49448 Lemfoerde

sdb@shera.de

- + 49 (0) 5443 9933-0
- · Further information obtainable from: Department of product security.
- · 1.4 Emergency telephone number:

Giftinformationszentrum-Nord +49 (0) 551-19240

(Information in german or english)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008:

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008:

The product is classified and labelled according to the GB CLP regulation.

- · Hazard pictograms: Void.
- · Signal word: Void.
- · Hazard statements:

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements:

P273 Avoid release to the environment.

P501 Dispose of contents / container in accordance with local / regional / national / international regulations.

 $\cdot \ \textbf{Additional information:}$

Contains dibenzoyl peroxide. May produce an allergic reaction.

- · 2.3 Other hazards Contains methyl methacrylate, dibenzoyl peroxide. Can cause allergic reactions.
- · Results of PBT and vPvB assessment:
- · PBT: Not applicable.
- · vPvB: Not applicable.

GB

Printing date 02.11.2022 Version number 3 (replaces version 2) Revision: 02.11.2022

Trade name: SHERADON

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture based on polymethyl methacrylates and catalysts.

· Dangerous components:	
CAS: 94-36-0	

dibenzoyl peroxide

<1%

EINECS: 202-327-6

Self-react. B, H241; Org. Perox. B, H241; Aquatic Acute 1, H400;

Reg.nr.: 01-2119511472-50

Index number: 617-008-00-0 Aquatic Chronic 1, H410; Eye Irrit. 2, H319; Skin Sens. 1, H317

· SVHC

· Non-dangerous ingredients

acrylic polymer

95-<100%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: In case of troubles or persistent symptoms, consult an medical.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Remove dirty clothing and wash before using again.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

 \cdot 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: CO₂, powder or water spray. Fight larger fire with alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid formation of dust.

Do not breathe dust.

- 6.2 Environmental precautions Do not allow to enter sewers / surface or ground water.
- · 6.3 Methods and material for containment and cleaning up Pick up mechanically.

(Contd. on page 3)

Printing date 02.11.2022 Version number 3 (replaces version 2) Revision: 02.11.2022

Trade name: SHERADON

· 6.4 Reference to other sections

a 7 for information on a for boundling

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Prevent formation of dust.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: Keep container tightly closed.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: No information available.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

94-36-0 dibenzoyl peroxide

WEL (Great Britain) Long-term value: 5 mg/m³ Long-term value: 5E mg/m³

cf. Section Xa

- \cdot Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- \cdot Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not eat or drink while working.

- · Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.
- · Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product. Due to missing tests no recommendation to the glove material can be given for the product. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

(Contd. of page 2)

Printing date 02.11.2022 Version number 3 (replaces version 2) Revision: 02.11.2022

Trade name: SHERADON

(Contd. of page 3)

· Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Safety glasses.
- · Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

 \cdot 9.1 Information on basic physical and chemical properties

· General Information

· Colour: Pink

Odour: characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: ca. 110 °C

 \cdot Boiling point or initial boiling point and boiling

range Undetermined.
• Flammability Not determined.

· Lower and upper explosion limit

Lower: Not determined.
 Upper: Not determined.
 Flash point: >250 °C
 Ignition temperature: >400 °C

Decomposition temperature: Not determined.pH Not applicable.

· Viscosity:

Kinematic viscosity Dynamic: Not applicable. Not applicable.

· Solubility

water: Insoluble.
 Partition coefficient n-octanol/water (log value)
 Vapour pressure: Not applicable.

· Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not applicable.

· 9.2 Other information

· Appearance:

· Form: Powder

· Important information on protection of health and environment, and on safety.

· Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Solvent content:

Organic solvents: 0.0 %
 VOC (EC): 0.00 %
 Solids content: 100 %

· Change in condition:

• Evaporation rate Not applicable.

· Information with regard to physical hazard classes

ExplosivesFlammable gasesVoid.Void.

(Contd. on page 5)

Printing date 02.11.2022 Version number 3 (replaces version 2) Revision: 02.11.2022

Trade name: SHERADON

(Contd. of page 4)

		(Conta. o
· Aerosols	Void.	
· Oxidising gases	Void.	
· Gases under pressure	Void.	
· Flammable liquids	Void.	
· Flammable solids	Void.	
· Self-reactive substances and mixtures	Void.	
· Pyrophoric liquids	Void.	
· Pyrophoric solids	Void.	
· Self-heating substances and mixtures	Void.	
· Substances and mixtures, which emit flamm	nable	
gases in contact with water	Void.	
· Oxidising liquids	Void.	
· Oxidising solids	Void.	
· Organic peroxides	Void.	
· Corrosive to metals	Void.	
· Desensitised explosives	Void.	

SECTION 10: Stability and reactivity

- 10.1 Reactivity Stable under normal conditions of storage and transport of solids.
- 10.2 Chemical stability No decomposition if used according to specifications.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials No further relevant information available.
- · 10.6 Hazardous decomposition products

Exothermic decomposition resulting in the formation of: methyl methacrylate.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity: No data available.
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.

(Contd. on page 6)

Printing date 02.11.2022 Version number 3 (replaces version 2) Revision: 02.11.2022

Trade name: SHERADON

(Contd. of page 5)

- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation: Waste disposal according to official state regulations.
- · Waste disposal key:

The waste disposal code as prescribed in the EuropeanWaste Catalogue (EWC) depends on the waste producer and can thus vary for a product. The waste disposal code should thus be obtained separately from the waste producer in each case.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

· 14.1 UN number or ID number	
· ADR, IMDG, IATA	Void.
· ADN	Void.
· 14.2 UN proper shipping name	
· ADR, IMDG, IATA	Void.
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA	
· Class	Void.
· ADN/R Class:	Void.
· 14.4 Packing group	
· ADR, IMDG, IATA	Void.
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according	g to IMO
instruments	Not applicable.

CP.

Printing date 02.11.2022 Version number 3 (replaces version 2) Revision: 02.11.2022

Trade name: SHERADON

(Contd. of page 6)

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- · Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on the state of knowledge and experience pertaining on the date of issue. The information is not to be taken as a guarantee of product properties and do not constitute the basis for a contractual legal relationship. The details must not be changed or transferred to other products. Duplication in an unchanged state is permissible.

· Relevant phrases

H241 Heating may cause a fire or explosion.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

- · Department issuing SDS: Department of product security.
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Self-react. B: Self-reactive substances and mixtures . Type B

Org. Perox. B: Organic peroxides . Type B

Eye Irrit. 2: Serious eye damage/eye irritation . Category 2

Skin Sens. 1: Skin sensitisation . Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard . Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard . Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard. Category 3

· * Data compared to the previous version altered.