

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.06.2021

Version number 3

Revision: 17.06.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier**Trade name:** SHERATRAY Pulver**Article number:**

505010

505050

505060

1.2 Relevant identified uses of the substance or mixture and uses advised against:

No further relevant information available.

Application of the substance / the mixture: Herstellung von zahnmedizinischen Produkten.**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Hersteller:

retec@ Kunststofftechnik GmbH

Industriestraße 2

D-61191 Rosbach v.d.H

+49 (0) 6007 91570

info@retec-dent.de

www.retec-dent.de

Ansprechpartner: Herr Dr. Manfred Steinbach

Lieferant:

SHERA Werkstoff-Technologie GmbH & Co. KG

Espholstraße 53

D-49448 Lemförde

sdb@shera.de

+ 49 (0) 5443 9933-0

Further information obtainable from: Department of product security.**1.4 Emergency telephone number:**

Giftinformationszentrum-Nord: +49 (0) 551-19240

(Information in german or english)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture**Classification according to Regulation (EC) No 1272/2008:**

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008:**

The product is classified and labelled according to the CLP regulation.

Hazard pictograms:

GHS07

Signal word: Warning**Hazard-determining components of labelling:**

dibenzoyl peroxide

Hazard statements:

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P261 Avoid breathing dust / fume / gas / mist / vapours / spray.

(Contd. on page 2)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.06.2021

Version number 3

Revision: 17.06.2021

Trade name: SHERATRAY Pulver

(Contd. of page 1)

- P272 Contaminated work clothing should not be allowed out of the workplace.
- P273 Avoid release to the environment.
- P280 Wear protective gloves.
- P302+P352 IF ON SKIN: Wash with plenty of water.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P501 Dispose of contents / container in accordance with local / regional / national / international regulations.

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture based on polymethyl methacrylates and catalysts.

· **Dangerous components:**

CAS: 94-36-0	dibenzoyl peroxide	1-<5%
EINECS: 202-327-6	Self-react. B, H241; Org. Perox. B, H241; Aquatic Acute 1, H400;	
Index number: 617-008-00-0	Aquatic Chronic 1, H410; Eye Irrit. 2, H319; Skin Sens. 1, H317	
Reg.nr.: 01-2119511472-50		

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** In case of troubles or persistent symptoms, consult an medical.
- **After inhalation:**
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**
Remove dirty clothing and wash before using again.
If skin irritation continues, consult a doctor.
Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** Rinse out mouth and then drink plenty of water.
- **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture**
In case of fire, the following can be released:
Carbon dioxide (CO₂).
Carbon monoxide (CO).
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

(Contd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.06.2021

Version number 3

Revision: 17.06.2021

Trade name: SHERATRAY Pulver

(Contd. of page 2)

· **Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Avoid formation of dust.
Do not breathe dust.

· **6.2 Environmental precautions** Do not allow to enter sewers / surface or ground water.

· **6.3 Methods and material for containment and cleaning up** Pick up mechanically.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling** No special precautions are necessary if used correctly.

· **Information about fire - and explosion protection:** No special measures required.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage**

· **Requirements to be met by storerooms and receptacles:** Keep container tightly closed.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:** None.

· **Storage class:**

TRGS 510: 11 (combustible solid materials without labelling).
No information available.

· **7.3 Specific end use(s)** Production of individual impression trays.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

94-36-0 dibenzoyl peroxide

WEL (Great Britain)	Long-term value: 5 mg/m ³
MAK (Germany)	Long-term value: 5E mg/m ³ cf. Section Xa

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see item 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

Do not eat or drink while working.
The usual precautionary measures are to be adhered to when handling chemicals.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.

· **Respiratory protection:** Respiratory protection in case of forming dust.

(Contd. on page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.06.2021

Version number 3

Revision: 17.06.2021

Trade name: SHERATRAY Pulver

(Contd. of page 3)

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product. Due to missing tests no recommendation to the glove material can be given for the product. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection

Not required.

· Body protection:

Protective work clothing.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state	Solid
· Colour:	Different, depending on coloring
· Odour:	characteristic
· Odour threshold:	Not determined.
· Melting point/freezing point:	110 °C
· Boiling point or initial boiling point and boiling range	Undetermined.
· Flammability	Not determined.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	>250 °C
· Auto-ignition temperature:	Product is not selfigniting.
· Decomposition temperature:	Not determined.
· pH	Not applicable.
· Viscosity:	
· Kinematic viscosity	Not applicable.
· Dynamic:	Not applicable.
· Solubility	
· water:	Soluble.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not applicable.
· Density and/or relative density	
· Density at 20 °C:	1.16 g/cm ³
· Relative density	Not determined.
· Bulk density:	700-750 kg/m ³
· Vapour density	Not applicable.

· 9.2 Other information

· Appearance:	
· Form:	Like powder

(Contd. on page 5)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.06.2021

Version number 3

Revision: 17.06.2021

Trade name: SHERATRAY Pulver

(Contd. of page 4)

- **Important information on protection of health and environment, and on safety.**
 - **Ignition temperature:** >400 °C
 - **Explosive properties:** Product does not present an explosion hazard.
 - **Solvent content:**
 - **Solids content:** 100.0 %
 - **Change in condition:**
 - **Evaporation rate** Not applicable.
-
- **Information with regard to physical hazard classes**
 - **Explosives** Void.
 - **Flammable gases** Void.
 - **Aerosols** Void.
 - **Oxidising gases** Void.
 - **Gases under pressure** Void.
 - **Flammable liquids** Void.
 - **Flammable solids** Void.
 - **Self-reactive substances and mixtures** Void.
 - **Pyrophoric liquids** Void.
 - **Pyrophoric solids** Void.
 - **Self-heating substances and mixtures** Void.
 - **Substances and mixtures, which emit flammable gases in contact with water** Void.
 - **Oxidising liquids** Void.
 - **Oxidising solids** Void.
 - **Organic peroxides** Void.
 - **Corrosive to metals** Void.
 - **Desensitised explosives** Void.

SECTION 10: Stability and reactivity

- **10.1 Reactivity**
Stable under normal conditions of storage and transport of solids.
No data available.
- **10.2 Chemical stability** No decomposition if used according to specifications.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials** No further relevant information available.
- **10.6 Hazardous decomposition products**
Exothermic decomposition resulting in the formation of: methyl methacrylate.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity:** No data available.
- **Serious eye damage/irritation** No data available.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

GB

(Contd. on page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.06.2021

Version number 3

Revision: 17.06.2021

Trade name: SHERATRAY Pulver

(Contd. of page 5)

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation:**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Waste disposal key:**
The waste disposal code as prescribed in the European Waste Catalogue (EWC) depends on the waste producer and can thus vary for a product. The waste disposal code should thus be obtained separately from the waste producer in each case.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- | | |
|---|-----------------|
| · 14.1 UN number or ID number | |
| · ADR, IMDG, IATA | Void. |
| · 14.2 UN proper shipping name | |
| · ADR, IMDG, IATA | Void. |
| · 14.3 Transport hazard class(es) | |
| · ADR, ADN, IMDG, IATA | |
| · Class | Void. |
| · 14.4 Packing group | |
| · ADR, IMDG, IATA | Void. |
| · 14.5 Environmental hazards: | Not applicable. |
| · 14.6 Special precautions for user | Not applicable. |
| · 14.7 Maritime transport in bulk according to IMO instruments | Not applicable. |
| · UN "Model Regulation": | Void. |

GB

(Contd. on page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.06.2021

Version number 3

Revision: 17.06.2021

Trade name: SHERATRAY Pulver

(Contd. of page 6)

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **National regulations:**
- **Information about limitation of use:**
Employment restrictions concerning juveniles must be observed.
Employment restrictions concerning pregnant and lactating women must be observed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on the state of knowledge and experience pertaining on the date of issue. The information is not to be taken as a guarantee of product properties and do not constitute the basis for a contractual legal relationship. The details must not be changed or transferred to other products. Duplication in an unchanged state is permissible.

- **Relevant phrases**
H241 Heating may cause a fire or explosion.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
- **Department issuing SDS:** Department of product security.
- **Abbreviations and acronyms:**
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Self-react. B: Self-reactive substances and mixtures – Type B
Org. Perox. B: Organic peroxides – Type B
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
- *** Data compared to the previous version altered.**

GB