,



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.05.2021

Version number 2

Revision: 18.05.2021

$\begin{array}{c} \textbf{1.1 Product identifier}\\ 1.1 Red name: SHERAMODELLHAFTGRUND (Primer)\\ \textbf{3.1 Relevant identified uses of the substance or mixture and uses advised against: No further relevant information available. \\ \textbf{3.1 Relevant identified uses of the substance or mixture and uses advised against: No further relevant information available. \\ \textbf{3.2 Relevant identified uses of the substance or mixture and uses advised against: No further relevant information available. \\ \textbf{3.2 Relevant information of the substance / the mixture: Priming \\ \textbf{3.2 Details of the supplier of the safety data sheet \\ \textbf{3.2 Relevant information obtainable from: Department of product security. \\ \textbf{3.2 Relevant information obtainable from: Department of product security. \\ \textbf{3.2 Marketure of a 9 0 3 - 0 \\ \textbf{5.2 CTION 2: Hazards identification \\ \textbf{3.2 CTION 2: Hazards identification \\ \textbf{3.2 Classification of the substance or mixture \\ \textbf{3.2 Classification of the substance or mixture \\ \textbf{3.2 Classification according to Regulation (EC) No 1272/2008: \\ Rimin, Liq, 2 H225 Highly flammable liquid and vapour. \\ \textbf{3.2 Label elements \\ \textbf{3.2 Label elements \\ \textbf{3.2 Labeling according to Regulation (EC) No 1272/2008: \\ Rimer, Liq, 2 H319 Causes serious eye irritation. \\ STOT SE 3 H336 May cause drowsiness or dizainess. \\ \textbf{3.2 Label elements \\ \textbf{3.2 Label elements \\ \textbf{3.2 Label elements \\ \textbf{3.3 May cause drowsiness or dizainess. \\ \textbf{3.2 Label elements \\ \textbf{3.3 May cause drowsiness or dizainess. \\ \textbf{3.3 May cause drowsintess or dizainess. \\ \textbf{3.3 M$	SECTION 1: Id	lentification of the substance/mixture and of the compa	ny/undertaking
• Article number: 709132 • Article number: 709132 • A Pelevant identified uses of the substance or mixture and uses advised against: No further relevant information available. • Application of the subplier of the safety data sheet • Manufacturer/Supplier: SHERA Workstoff-Technologie GmbH & Co. KG Espohlstraße 53 D -94448 Lemitorde GERMANY sdb@gshera.de + 49 (0) 54 43 - 99 33 - 0 • Further information obtainable from: Department of product security. • 1.4 Emergency telephone number: Gittinformationszentrum-Nord +9 (0) 551-19240 (Information in german or english) SECTION 2: Hazards identification • 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008: Flam. Liq. 2 H225 Highly flammable liquid and vapour. Eye Init. 2 H239 Gauses serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness. • 2.2 Label elements • Labeling according to Regulation (EC) No 1272/2008: The product is classified and labelied according to the CLP regulation. • Hazard pictograms: • Again (S 4507) • Signal Word: Banger • Hazard steteminisp • Hazer distements: • Hazard statements: • Procutionary statements: • Pain Again Mathematic Mathema	· 1.1 Product ident	ifier	
 1.2 Felevant identified uses of the substance or mixture and uses advised against: No further relevant information available. Application of the substance / the mixture: Priming 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: SHERA Workstoff-Technologie GmbH & Co. KG Espohetrare/Supplier SHERA Workstoff-Technologie GmbH & Co. KG Espohetrate 53 D-49448 Lemforde GERMANY sodi@shera.de + 49 (0) 54 43 - 99 33 - 0 Further information obtainable from: Department of product security. 1.4 Emergency telephone number: Gittiofformationszenturm-Nord +49 (0) 551-19240 (Information in german or english) SECTION 2: Hazards Identification Classification according to Regulation (EC) No 1272/2008: Flam. Liq. 2 H225 Highly flammable liquid and vapour. Eye Irit. 2 H319 Gauses serious eye irritation. STOT SE3 H338 May cause drowsiness or dizziness. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008: The product is classified and labelled according to the CLP regulation. Hazard batements: Hazard pictograms: Xiege GHS07 Signal word: Danger Hazard statements: H225 Highly flammable iquid and vapour. H339 Gay cause serious eye irritation. H336 May cause drowsiness of dizziness. 22 Label elements: H225 Highly flammable iquid and vapour. H336 May cause drowsiness of dizziness. 22 Label elements: H225 Highly flammable iquid and vapour. H336 May cause irritation. H336 May cause irritation. H337 May cause irritation. H336 May cause irritation according to the substance or mixture actions H336 May cause irritation according to the substance or dizziness. Part - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No moking. Paid A root Dreating vapours. Paid A root Dreating vapours. Paid A root Dreating vapours. Paid P300 IF WALL	· Trade name: SHE	RAMODELLHAFTGRUND (Primer)	
 Marufacturer/Supplier: SHERA Werkstoff-Technologie GmbH & Co. KG Espohistraße 53 D-4944 BL comforde GERMANY sub@shera.de + 49 (0) 54 43 - 99 33 - 0 Further information obtainable from: Department of product security. • 1.4 Emergency telephone number: Giftinformation in german or english) SECTION 2: Hazards Identification 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008: Flam. Liq. 2 H225 Highly flammable liquid and vapour. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008: The product is classified and labelled according to the CLP regulation. Hazard pictograms: Signal word: Danger Hazard determining components of labelling: actoon Hazard statements Hazard s	1.2 Relevant iden No further relevan	tified uses of the substance or mixture and uses advised against: t information available.	
 1.4 Emergency telephone number: Giftinformation in german or english) SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008: Flam. Liq. 2. H225 Highly flammable liquid and vapour. Eye Irrit. 2. H319 Causes serious eye irritation. STOT SE 3. H336 May cause drowsiness or dizziness. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008: The product is classified and labeled according to the CLP regulation. Hazard pictograms: Joint 2. GHS07 Signal word: Danger Hazard-determining components of labelling: acetone Hazard statements: H225 Highly flammable liquid and vapour. H336 May cause drowsiness or dizziness. Precutionary statements: H225 Lighly flammable liquid and vapour. H336 May cause drowsiness or dizziness. Precutionary statements: P10 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing vapours. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/Product Safety Department. P304-P330 IF IN EVES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention. H237 H331 If eye irritation persists: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P342+P343 Store in a well-ventilated place. Keep container tightly closed. P342+P343 If eye irritation persists: Get medical advice/attention. P342+P343 If it eye irritation persists: Get medical advice/attention. P342+P343 If eye irritation persists: Get medical advice/attention. P342+P34 If eye irritation persists: Get medical advice/attention. P342+P34 If eye irritation persists: Get medical advice/attent	• Manufacturer/Su SHERA Werkstoff Espohlstraße 53 D-49448 Lemförde GERMANY sdb@shera.de	oplier: Technologie GmbH & Co. KG	
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008: Flam. Liq. 2 H225 Highly flammable liquid and vapour. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008: The product is classified and labelled according to the CLP regulation. Hazard pictograms: <i>i i i i i i i i i i</i>	 1.4 Emergency te Giftinformationsze 	elephone number: ntrum-Nord +49 (0) 551-19240	
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008: Flam. Liq. 2 H225 Highly flammable liquid and vapour. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008: The product is classified and labelled according to the CLP regulation. Hazard pictograms: <i>Q</i> <i>GHS02</i> GHS07 Signal word: Danger Hazard-determining components of labelling: acetone Hazard-determining components of labelling: acetone Hazard statements: H225 Highly flammable liquid and vapour. H336 May cause drowsiness or dizziness. Precautionary statements: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing vapours. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/Product Safety Department. P304+P340 PT MALED: Remove person to fresh air and keep comfortable for breathing. P337+P313 If eye irritation persists: Get medical advice/attention. P403+P233 Store in a well-ventilated place. Keep container tightly closed. 	SECTION 2: H	azards identification	
 Signal word: Danger Hazard-determining components of labelling: acetone Hazard statements: H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. Precautionary statements: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No moking. P261 Avoid breathing vapours. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/Product Safety Department. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P304+P340 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P37+P313 If eye irritation persists: Get medical advice/attention. P403+P233 Store in a well-ventilated place. Keep container tightly closed. 	Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336 2.2 Label elemen Labelling accord The product is class	 Highly flammable liquid and vapour. Causes serious eye irritation. May cause drowsiness or dizziness. ts ing to Regulation (EC) No 1272/2008: ssified and labelled according to the CLP regulation. 	
 Hazard-determining components of labelling: acetone Hazard statements: H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. Precautionary statements: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing vapours. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/Product Safety Department. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention. P403+P233 Store in a well-ventilated place. Keep container tightly closed. 			
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing vapours. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/Product Safety Department. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention. P403+P233 Store in a well-ventilated place. Keep container tightly closed. 	 Hazard-determini acetone Hazard statemen H225 Highly flamn H319 Causes seri H336 May cause of 	ing components of labelling: ts: nable liquid and vapour. ous eye irritation. drowsiness or dizziness.	
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/Product Safety Department. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention. P403+P233 Store in a well-ventilated place. Keep container tightly closed.	P210	Keep away from heat, hot surfaces, sparks, open flames and other is smoking.	gnition sources. No
(Contd. on page 2)	P301+P310 P304+P340 P305+P351+P338 P337+P313	IF SWALLOWED: Immediately call a POISON CENTER/ doctor Department. IF INHALED: Remove person to fresh air and keep comfortable for brea IF IN EYES: Rinse cautiously with water for several minutes. Remove present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	thing.
		· ···· ·······························	(Contd. on page 2)



Printing date 18.05.2021

Version number 2

Revision: 18.05.2021

Trade name: SHERAMODELLHAFTGRUND (Primer)

P501

(Contd. of page 1) Dispose of contents / container in accordance with local / regional / national / international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment:

• **PBT:** Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:				
	CAS: 67-64-1 EINECS: 200-662-2 Index number: 606-001-00-8 Reg.nr.: 01-211947330-49	acetone Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336, EUH066	20-30%	
	CAS: 56-81-5 EINECS: 200-289-5	glycerol substance with a Community workplace exposure limit	1-50%	
	· Additional information: For	the wording of the listed hazard phrases refer to section 16.		

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

No special measures required.

- · After skin contact: Wash with water and soap.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Rinse mouth immediately and drink large quantities of water.
- · 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- \cdot 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents:

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions
- Dilute with plenty of water.
- Do not allow to enter sewers / surface or ground water.
- · 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)



Revision: 18.05.2021

Printing date 18.05.2021

Version number 2

Trade name: SHERAMODELLHAFTGRUND (Primer)

(Contd. of page 2)

Ensure adequate ventilation.

- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation / exhaustion at the workplace. Prevent formation of aerosols.

- Information about fire and explosion protection: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- · Storage class: No information available.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

Ingredients with 67-64-1 acetone	limit values that require monitoring at the workplace:		
WEL (Great Brita	in) Short-term value: 3620 mg/m ³ , 1500 ppm Long-term value: 1210 mg/m ³ , 500 ppm		
AGW (Germany)	Long-term value: 1200 mg/m ³ , 500 ppm 2(I);AGS, DFG, EU, Y		
IOELV (EU)	Long-term value: 1210 mg/m ³ , 500 ppm		
56-81-5 glycerol			
WEL (Great Brita	Long-term value: 10 mg/m ³		
AGW (Germany)	Long-term value: 200 E mg/m ³ 2 (I);DFG, Y		
DNELs: 67-64-1 acetone			
Inhalative DNEL	Worker - Long Term - Systemic effects 1,210 mg/m ₃ (workers)		
Ingredients with	biological limit values:		
67-64-1 acetone			
BGW (Germany)	80 mg/l Specimen: Urine Sampling time: After exposure ends or after the shift ends Parameters: Acetone		
Additional inform	mation: The lists valid during the making were used as basis.		
8.2 Exposure co			

(Contd. on page 4)

GB



Revision: 18.05.2021

Printing date 18.05.2021

Version number 2

Trade name: SHERAMODELLHAFTGRUND (Primer) (Contd. of page 3) Individual protection measures, such as personal protective equipment · General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. **Respiratory protection:** In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Hand protection The glove material has to be impermeable and resistant to the product. Due to missing tests no recommendation to the glove material can be given for the product. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. Material of gloves: The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material: The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye/face protection Tightly sealed goggles **SECTION 9: Physical and chemical properties** · 9.1 Information on basic physical and chemical properties · General Information · Colour: Yellowish · Odour: characteristic · Melting point/freezing point: Undetermined. · Boiling point or initial boiling point and boiling Undetermined.

Not applicable.

Not determined. Not determined.

Not determined.

Not determined.

Fully miscible.

233 hPa

Not determined.

Not determined.

Product is not selfigniting.

0.9 Vol %

13 Vol % <-18 °C

- range
- · Flammability
- Lower and upper explosion limit
- · Lower:
- · Upper:
- · Flash point:
- · Auto-ignition temperature:
- · Decomposition temperature:
- · pH
- · Viscositv:
- · Kinematic viscosity
- · Dynamic:
- Solubility
- · water:
- · Partition coefficient n-octanol/water (log value)
- · Vapour pressure at 20 °C:
- · Density and/or relative density
- · Density:

(Contd. on page 5)



Revision: 18.05.2021

Printing date 18.05.2021

Version number 2

Trade name: SHERAMODELLHAFTGRUND (Primer)

	(Contd. of page
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
· Appearance:	
· Form:	Liquid
· Important information on protection of health	n and
environment, and on safety.	
· Ignition temperature:	Not determined.
Explosive properties:	Product is not explosive. However, formation of
	explosive air / vapour mixtures are possible.
· Solvent content:	· · ·
· VOC (EC):	29.00 %
Change in condition:	
· Evaporation rate	Not determined.
Information with regard to physical hazard cla	
· Explosives	Void.
· Flammable gases	Void.
	Void.
• Aerosols	Void.
	Void. Void.
Gases under pressure	vola.
· Flammable liquids	
Highly flammable liquid and vapour.	N7 - 1
Flammable solids	Void.
Self-reactive substances and mixtures	Void.
Pyrophoric liquids	Void.
Pyrophoric solids	Void.
Self-heating substances and mixtures	Void.
Substances and mixtures, which emit flamma	
gases in contact with water	Void.
· Oxidising liquids	Void.
· Oxidising solids	Void.
· Organic peroxides	Void.
· Corrosive to metals	Void.
 Desensitised explosives 	Void.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No data available.

• 10.2 Chemical stability No decomposition if used according to specifications.

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials No further relevant information available.
- 10.6 Hazardous decomposition products No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

 \cdot Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

67-64-1 acetone

Oral LD50 5,800 mg/kg (Rat)

(Contd. on page 6)

GΒ



Revision: 18.05.2021

Printing date 18.05.2021

Version number 2

Trade name: SHERAMODELLHAFTGRUND (Primer)

		(Ca	ontd. of page 5
Dermal	LD50	>7,400 mg/kg (Rat)	
Inhalative	LC50/4 h	76,000 mg/l (Rat)	
· Serious e		ation Direct contact with skin and eyes might cause slight irritations. e/irritation	
		sensitisation Based on available data, the classification criteria are not met	t.
		icity Based on available data, the classification criteria are not met.	
· Carcinog	enicity Ba	sed on available data, the classification criteria are not met.	
Reprodu	ctive toxic	ity Based on available data, the classification criteria are not met.	
STOT-sin	ngle expos	ure	
May caus	e drowsine	ss or dizziness.	
STOT-rep	peated exp	osure Based on available data, the classification criteria are not met.	
Aspiratio	n hazard E	Based on available data, the classification criteria are not met.	
· 11.2 Info	rmation or	other hazards	
· Endocrin	e disruptii	ng properties	
None of the	he ingredie	nts is listed.	

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

67-64-1 acetone

EC50/48 h 3,400 mg/l (Algae)

EC50/16 h 1,700 mg/l (Bacterial)

- NOEC 2,212 mg/l (Daphnia (Daphnia magna)) (OECD 211)
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

· Recommendation:

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Waste disposal key:

The waste disposal code as prescribed in the EuropeanWaste Catalogue (EWC) depends on the waste producer and can thus vary for a product. The waste disposal code should thus be obtained separately from the waste producer in each case.

· Uncleaned packaging:

 \cdot **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 7)

GB



Revision: 18.05.2021

(Contd. of page 6)

Printing date 18.05.2021

Version number 2

Trade name: SHERAMODELLHAFTGRUND (Primer)

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information · 14.1 UN number or ID number · ADR, IMDG, IATA UN1090 · 14.2 UN proper shipping name · ADR 1090 ACETONE mixture · IMDG, IATA **ACETONE** mixture · 14.3 Transport hazard class(es) · ADR, IMDG, IATA Class 3 Flammable liquids. · Label 3 14.4 Packing group · ADR, IMDG, IATA Ш · 14.5 Environmental hazards: · Marine pollutant: No. · 14.6 Special precautions for user Warning: Flammable liquids. Hazard identification number (Kemler code): 33 · EMS Number: F-E,S-D · Stowage Category Е · 14.7 Maritime transport in bulk according to IMO instruments Not applicable. · Transport/Additional information: · ADR · Excepted quantities (EQ): E2 · Limited quantities (LQ): 1L Excepted quantities (EQ): Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · Transport category: 2 · Tunnel restriction code: D/E · IMDG · Limited quantities (LQ): 1L · Excepted quantities (EQ): Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · UN "Model Regulation": UN 1090 ACETONE MIXTURE, 3, II

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

(Contd. on page 8)

GB

Version number 2



Revision: 18.05.2021

(Contd. of page 7)

Trade name: SHERAMODELLHAFTGRUND (Primer)

· Seveso category P5c FLAMMABLE LIQUIDS

• Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t

• Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t

· National regulations:

Printing date 18.05.2021

· Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on the state of knowledge and experience pertaining on the date of issue. The information is not to be taken as a guarantee of product properties and do not constitute the basis for a contractual legal relationship. The details must not be changed or transferred to other products. Duplication in an unchanged state is permissible.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

EUH066 Repeated exposure may cause skin dryness or cracking.

· Department issuing SDS: Department of product security.

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

• * Data compared to the previous version altered.

GB