Vitallium Legierungen

Vitallium Laserschweißdraht

Vitallium Special Alloy CoCr Laserdrahtstäbe

2.0 / GB Material no. 5535000170 Version: 05.10.2021 Revision date: Specification 172871 16.08.2013 Issue date: VA-Nr 01948086 replaces version: 1.4 1/10 Page:



# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name Vitallium Legierungen

Vitallium Laserschweißdraht Vitallium Special Alloy CoCr Laserdrahtstäbe

REACH Registration No.: if available listed in Chapter. 3

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant applications identified For dental use only.

# 1.3. Details of the supplier of the safety data sheet

Company DeguDent GmbH

Postfach 1364 D-63403 Hanau

Telephone +49 (0)6181/59-5576 Telefax +49 (0)6181/59-5751

Email address SDB.Degudent-DE@dentsplysirona.com

#### 1.4. Emergency telephone number

Emergency information +49 (0)6181/59-50 (This telephone number is available during office

hours only.)

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Respiratory sensitization	Category 1	H334
Skin Sensitisation	Category 1	H317
Hazardous to the aquatic environment - Chronic Hazard	Category 4	H413
Reproductive toxicity	Category 1	H360F
Carcinogenicity	Category 1	H350
Germ cell mutagenicity	Category 2	H341

#### 2.2. Label elements

#### Labelling as per (EU) 1272/2008

Statutory basis EU-CLP as per Regulation (EU) No. 1272/2008, Annex VI

# hazard-defining component(s) (GHS)

cobalt

Hazard pictograms



Vitallium Legierungen

Vitallium Laserschweißdraht

Vitallium Special Alloy CoCr Laserdrahtstäbe

Version: 2.0 / GB Material no.
Revision date: 05.10.2021 Specification
Issue date: 16.08.2013 VA-Nr
replaces version: 1.4
Page: 2 / 10



Signal word Danger

Hazard statement H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 - May cause an allergic skin reaction.

H413 - May cause long lasting harmful effects to aquatic life.

H341 - Suspected of causing genetic defects.

H350 - May cause cancer. H360F - May damage fertility.

Precautionary statement P280 - Wear protective gloves/protective clothing/eye protection.

Precautionary statement:

P261 - Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

Prevention

Reaction

P272 - Contaminated work clothing should not be allowed out of the workplace.

5535000170

172871

01948086

P273 - Avoid release to the environment.

P285 - In case of inadequate ventilation wear respiratory protection.

Precautionary statement:

P302 + P352 - IF ON SKIN: Wash with plenty of water/ soap.

P304 + P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and

keep at rest in a position comfortable for breathing.

P333 + P313 - If skin irritation or rash occurs: Get medical advice/ attention. P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or

doctor/ physician.

P363 - Wash contaminated clothing before reuse.

Precautionary statement:

Storage

P405 - Store locked up.

Precautionary statement:

Disposal

P501 - Dispose of contents/container in accordance with local regulation.

#### 2.3. Other hazards

May react forming chromium(VI) compounds when processing thermally., Possible release of metallic vapors when melted.

Cobalt vapor will be released while processing., Limited evidence of a carcinogenic effect.

A PBT/vPvB evaluation is not available, since a chemical safety evaluation is not required / has not been carried out.

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

-

#### 3.2. Mixtures

# Information on ingredients / Hazardous components as per EU-CLP Regulation (EC) No. 1272/2008

• cobalt	60% - 66%				
Skin Sens Hazardous Germ cell	s to the aquatic env mutagenicity reproduction	EC-No. ironment - Chronic	231-158-0 Hazard	Category 1 Category 1 Category 4 Category 2 Category 1B Category 1B	H334 H317 H413 H341 H360F H350
• chromi	um		27% - 32%		
CAS-No.	7440-47-3	EC-No.	231-157-5		

Vitallium Legierungen

Vitallium Laserschweißdraht

Vitallium Special Alloy

CoCr Laserdrahtstäbe

Page:

2.0 / GB Version: 05.10.2021 Revision date: Issue date: 16.08.2013 replaces version: 1.4 3 / 10

Material no. 5535000170 Specification 172871 VA-Nr 01948086



• molybde	num		5% - 7%
CAS-No.	7439-98-7	EC-No.	231-107-2
• Silicium	< 1%		
CAS-No.	7440-21-3	EC-No.	215-609-9
• mangane	ese		< 1%
CAS-No.	7439-96-5	EC-No.	231-105-1
• Carbon	< 1%		
CAS-No.	1333-86-4		

Texts of H phrases, see in Chapter 16

#### **SECTION 4: First aid measures**

#### 4.1. **Description of first aid measures**

#### Inhalation

Remove to fresh air.

If symptoms persist, call a physician.

#### Skin contact

Wash off with soap and water.

In the case of skin irritation or allergic reactions see a physician.

#### **Eve contact**

Rinse with plenty of water.

If eye irritation persists, consult a specialist.

#### Ingestion

Clean mouth with water and drink afterwards plenty of water.

Obtain medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

#### **Symptoms**

None known

## **Hazards**

None known

#### 4.3. Indication of any immediate medical attention and special treatment needed

None known

#### **SECTION 5: Firefighting measures**

#### 5.1. **Extinguishing media**

Suitable extinguishing media: Special powder against metal fire

quenching powder

dry sand common salt

Unsuitable extinguishing media:

Carbon dioxide (CO2)

#### Special hazards arising from the substance or mixture 5.2.

Can be released in case of fire: cobalt oxide.

#### Advice for firefighters 5.3.

The product itself does not burn.

Vitallium Legierungen

Vitallium Laserschweißdraht

Vitallium Special Alloy CoCr Laserdrahtstäbe

Version: 2.0 / GB
Revision date: 05.10.20

Revision date: **05.10.2021**Issue date: 16.08.2013
replaces version: 1.4
Page: 4 / 10

 Material no.
 5535000170

 Specification
 172871

 VA-Nr
 01948086



Prevent fire extinguishing water from contaminating surface water or the ground water system. In the event of fire, wear self-contained breathing apparatus.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation.

Avoid breathing dust.

In case of dust being formed, provide for adequate extraction.

Ensure suitable suction/aeration at the work place and with operational machinery.

#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

#### 6.3. Methods and material for containment and cleaning up

Use mechanical handling equipment.

Avoid dust formation.

Fill into marked, sealable containers.

#### 6.4. Reference to other sections

Wear personal protective equipment; see section 8.

Disposal considerations; see section 13.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

In case of melting, soldering or grinding:

Local ventilation.

Avoid dust formation.

In case of dust or vapor: Wear personal safety equipment

Dusts and vapors: Do not inhale.

# 7.2. Conditions for safe storage, including any incompatibilities

#### Storage

No special storage conditions required.

## German storage class

13 - Non Combustible Solids

# 7.3. Specific end use(s)

We are unaware of any specific end uses which go beyond the data reported in Section 1.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

• cobalt			
CAS-No. Control parameters	7440-48-4 0.1 mg/m3	EC-No.	231-158-0 Time Weighted Average (TWA):(EH40 WEL)
Control parameters	0.02 mg/m3		Time Weighted Average (TWA):(NZ OEL)
Control parameters	0.02 mg/m3		Time Weighted Average (TWA):
Control parameters	0.02 mg/m3		Time Weighted Average (TWA):(KOR OEL)
• chromium			
CAS-No. Control parameters	7440-47-3 0.5 mg/m3	EC-No.	231-157-5 Time Weighted Average (TWA):(EH40 WEL)
Control parameters	2 mg/m3		Time Weighted Average (TWA):(EU ELV)

Vitallium Legierungen

Vitallium Laserschweißdraht

Vitallium Special Alloy

Version: 2.0 / GB
Revision date: 05.10.2021

Issue date: 16.08.2013 replaces version: 1.4 Page: 5 / 10

Material no. 5535000170 Specification 172871 VA-Nr 01948086



	Indicative		
Control parameters	0.5 mg/m3		Time Weighted Average (TWA):(NZ OEL)
Control parameters	0.5 mg/m3		Time Weighted Average (TWA):
Control parameters	0.5 mg/m3		Time Weighted Average (TWA):(KOR OEL)
• molybdenum			
CAS-No. Control parameters	7439-98-7 20 mg/m3	EC-No.	231-107-2 Short Term Exposure Limit (STEL):(EH40 WEL)
Control parameters	10 mg/m3		Time Weighted Average (TWA):(EH40 WEL)
Silicium			
CAS-No. Control parameters type of exposure	7440-21-3 10 mg/m3 Inhalable dust.	EC-No.	215-609-9 Time Weighted Average (TWA):(EH40 WEL)
Control parameters type of exposure	4 mg/m3 Respirable dust.		Time Weighted Average (TWA):(EH40 WEL)
<ul> <li>manganese</li> </ul>			
CAS-No. Control parameters	7439-96-5 0.5 mg/m3	EC-No.	231-105-1 Time Weighted Average (TWA):(EH40 WEL)
• Carbon			
CAS-No.	1333-86-4		
Control parameters	3.5 mg/m3		Time Weighted Average (TWA):(EH40 WEL)
Control parameters	7 mg/m3		Short Term Exposure Limit (STEL):(EH40 WEL)

#### 8.2. Exposure controls

#### **Engineering measures**

Cobalt vapor will be released while processing., Adequate exhaustion / ventilation of the work site or machinery must be assured. Vacuuming of objects.

#### Personal protective equipment

# **Respiratory protection**

In case of working with / without sufficient object exhaustion:, Respirator with P3 particle filter

# Hand protection

Protective gloves

Glove material butyl-rubber, Nitrile rubber, Natural Rubber/Natural latex (NR)

#### Eye/face protection

Safety glasses with side-shields, In case of smoke or dust development: goggles

#### Skin and body protection

If cobalt - vapour occurs: Change contaminated clothing., Apply adequate skin protection agents before handling the product. Assure skin cleaning and skin care after work. Preventive skin protection is recommended.

#### **Hygiene measures**

If there is the possibility of skin/eye contact, the indicated hand/eye/body protection should be used., Do not eat, drink, smoke, or sniff while at work. Wash your hands and/or face before breaks and before termination of work., Do not inhale smoke, dust, vapor., If workplace exposure limits are exceeded and/or larger amounts are released (leakage, spilling, dust) the indicated respiratory protection should be used.

# **SECTION 9: Physical and chemical properties**

Vitallium Legierungen

Vitallium Laserschweißdraht

Vitallium Special Alloy CoCr Laserdrahtstäbe

 Version:
 2.0 / GB

 Revision date:
 05.10.2021

 Issue date:
 16.08.2013

 replaces version:
 1.4

 Page:
 6 / 10

 Material no.
 5535000170

 Specification
 172871

 VA-Nr
 01948086



# 9.1. Information on basic physical and chemical properties

**Appearance** 

Form solid
Colour white
Odour odourless

Odour threshold: not applicable

pH not applicable

(solid)

Melting point/range 1300 - 1370 °C

Boiling point/range not applicable

(solid)

Flash point does not flash

Evaporation rate not applicable, (solid)

Flammability (solid, gas) not flammable

Lower explosion limit not applicable

Upper explosion limit not applicable

Vapour pressure not applicable

Vapour density not applicable

Density ca. 8.3 g/cm3

Water solubility insoluble

Partition coefficient: n-

octanol/water

not applicable

Autoinflammability Not capable of spontaneous combustion or heating.

Thermal decomposition not applicable

Viscosity, dynamic not applicable

Explosiveness not applicable

Oxidizing properties not oxidizing

9.2. Other information

Other information No further physicochemical data were determined.

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

no data available

Vitallium Legierungen

Vitallium Laserschweißdraht

Vitallium Special Alloy CoCr Laserdrahtstäbe

 Version:
 2.0 / GB

 Revision date:
 05.10.2021

 Issue date:
 16.08.2013

 replaces version:
 1.4

 Page:
 7 / 10

 Material no.
 5535000170

 Specification
 172871

 VA-Nr
 01948086



#### 10.2. Chemical stability

The product is chemically stable.

#### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions

No dangerous reactions known.

#### 10.4. Conditions to avoid

No limitations

#### 10.5. Incompatible materials

None known

### 10.6. Hazardous decomposition products

Decomposition products occurring when heated above melting temperature metallic vapors

# **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute oral toxicity no data available

Acute inhalation toxicity no data available

Acute dermal toxicity no data available

Skin irritation no data available

Eye irritation no data available

Sensitization May cause sensitisation of susceptible persons by skin contact or by

inhalation of dust., Allergic reactions caused by ions of cobalt and chromium are known. For none of the cobalt and chromium containing

alloys of DeguDent a documented allergic reaction is known.

Repeated dose toxicity no data available

Mutagenicity assessment no data available

Carcinogenicity No data available

Toxicity to reproduction No data available

Human experience Toxic effects from handling this product are unknown as yet.

The solubility of the alloy is extremely low. It must therefore be assumed that the daily uptake of these elements is considerably exceeds that from the alloy., As a constituent of vitamin B12 cobalt is an essential element of the human body., Molybdenum is an essential element of the human body., The daily dietary uptake of chromium amounts to several milligrams., Information taken from reference works and the literature.

Further information No hazardous reactions are known if properly handled and stored.

Cobalt (dusts and vapours):, Clues to possible carcinogenic effects in

animal experiments. literature

#### **SECTION 12: Ecological information**

Vitallium Legierungen

Vitallium Laserschweißdraht

Vitallium Special Alloy

CoCr Laserdrahtstäbe

 Version:
 2.0 / GB

 Revision date:
 05.10.2021

 Issue date:
 16.08.2013

 replaces version:
 1.4

 Page:
 8 / 10

 Material no.
 5535000170

 Specification
 172871

 VA-Nr
 01948086



#### 12.1. Toxicity

No ecotoxicological data is available for this product.

# 12.2. Persistence and degradability

Biodegradability no data available

#### 12.3. Bioaccumulative potential

Bioaccumulation no data available

## 12.4. Mobility in soil

Mobility The product is insoluble in water.

No further information available

#### 12.5. Results of PBT and vPvB assessment

A PBT/vPvB evaluation is not available, since a chemical safety evaluation is not required / has not been carried out.

#### 12.6. Other adverse effects

Further Information Dusts and water-soluble forms of the alloy:, Introduction into soil, natural

water bodies or sewerage must be prevented.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Product**

Disposal according to local authority regulations.

#### **Uncleaned packaging**

Disposal according to local authority regulations.

#### **SECTION 14: Transport information**

#### Not dangerous according to transport regulations.

14.1.	UN number:	
14.2.	UN proper shipping name:	
14.3.	Transport hazard class(es):	
14.4.	Packing group:	
14.5.	Environmental hazards:	
14.6	Special precautions for user:	No

#### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture National legislation

#### 15.2. Chemical safety assessment

Vitallium Legierungen

Vitallium Laserschweißdraht

Vitallium Special Alloy CoCr Laserdrahtstäbe

2.0 / GB Material no. Version: Revision date: 05.10.2021 Specification 16.08.2013 Issue date: VA-Nr replaces version: 1.4 9/10 Page:

5535000170 Dentsply

Chemical safety assessment

No Chemical Safety Report as per Articles 2(8), 2(9) or 14 of the REACH Regulatione is required for this product.

172871

01948086

#### **SECTION 16: Other information**

Classification and applied procedure to derive the classification of mixtures according to EU Regulation (EC) No. 1272/2008 (CLP)

Classification	Classification procedure
Resp. Sens., 1 , H334	
Skin Sens., 1 , H317	
Aquatic Chronic, 4, H413	
Repr., 1, H360F	
Carc., 1 , H350	
Muta., 2 , H341	

#### Relevant H phrases from chapter 3

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H341 Suspected of causing genetic defects.

H350 May cause cancer. May damage fertility. H360F

May cause long lasting harmful effects to aquatic life. H413

#### **Further information**

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information and all further technical advice is based on our present knowledge and experience. However, it implies no liability or other legal responsibility on our part, including with regard to existing third party intellectual property rights, especially patent rights. In particular, no warranty, whether express or implied, or guarantee of product properties in the legal sense is intended or implied. We reserve the right to make any changes according to technological progress or further developments. The customer is not released from the obligation to conduct careful inspection and testing of incoming goods. Performance of the product described herein should be verified by testing, which should be carried out only by qualified experts in the sole responsibility of a customer. Reference to trade names used by other companies is neither a recommendation, nor does it imply that similar products could not be used.

Legend

ADR European Agreement concerning the International Carriage of Dangerous Goods by

ADN European Agreement concerning the International Carriage of Dangerous Goods by

**Inland Waterways** 

**ASTM** American Society for Testing and Materials

**ATP** Adaptation to Technical Progress

**BCF** Bioconcentration factor

**BetrSichV** German Ordinance on Industrial Safety and Health

closed cup C.C.

**Chemical Abstract Services** CAS

**CESIO** European Committee of Organic Surfactants and their Intermediates

German Chemicals Act ChemG

**CMR** carcinogenic-mutagenic-toxic for reproduction

German Institute for Standardization DIN

**DMEL** Derived minimum effect level

DNFI Derived no effect level

**EINECS** European Inventory of Existing Commercial Chemical Substances

Vitallium Legierungen

Vitallium Laserschweißdraht

Vitallium Special Alloy CoCr Laserdrahtstäbe

Version:
Revision date:

05.10.2021
Specification
Usue date:
16.08.2013
replaces version:
1.4
Page:
10 / 10



5535000170

172871

01948086

**EC50** half maximal effective concentration

GefStoffV German Ordinance on Hazardous Substances

GGVSEB German ordinance for road, rail and inland waterway transportation of dangerous

aoods

**GGVSee** German ordinance for sea transportation of dangerous goods

GLP Good Laboratory Practice
GMO Genetic Modified Organism

IATA International Air Transport Association
 ICAO International Civil Aviation Organization
 IMDG International Maritime Dangerous Goods
 ISO International Organization For Standardization

**LOAEL** Lowest observed adverse effect level

LOELLowest observed effect levelNOAELNo observed adverse effect levelNOECno observed effect concentration

NOEL no observed effect level

o. c. open cup

**OECD** Organisation for Economic Cooperation and Development

OEL Occupational Exposure Limit
PBT Persistent, bioaccumulative, toxic
PEC Predicted effect concentration
PNEC Predicted no effect concentration

**REACH** REACH registration

RID Convention concerning International Carriage by Rail

STOT Specific Target Organ Toxicity
SVHC Substances of Very High Concern

TA Technical Instructions

**TPR** Third Party Representative (Art. 4)

TRGS Technical Rules for Hazardous Substances
VCI German chemical industry association
vPvB very persistent, very bioaccumulative

**VOC** volatile organic compounds

VwVwS German Administrative Regulation on the Classification of Substances Hazardous to

Waters into Water Hazard Classes

WGK Water Hazard Class
WHO World Health Organization