

Printing date 25.08.2016 Version number 1 Revision: 25.08.2016

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: SHERALUX 715
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against:

No further relevant information available.

- · Application of the substance / the mixture: High-gloss polishing cream.
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SHERA Werkstoff-Technologie GmbH & Co. KG

Espohlstraße 53 D-49448 Lemförde GERMANY sdb@shera.de

- · Further information obtainable from: Department of product security.
- · 1.4 Emergency telephone number:

+49 5443 9933-0 This number is serviced during office hours.

Opening times: Monday to Thursday from 8 am . 5 pm, Friday from 8 am . 3 pm.

# **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008:

The product is not classified according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008: Void.
- · Hazard pictograms: Void.
- · Signal word: Void.
- · Hazard statements: Void.
- · Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.

Safety data sheet available on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment:
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous compo	nents:	
CAS: 1344-28-1 EINECS: 215-691-6	aluminium oxide substance with a Community workplace exposure limit	25 - 50%
CAS: 7631-86-9 EINECS: 231-545-4	silicon dioxide, chemically prepared substance with a Community workplace exposure limit	1-<10%
CAS: 102-71-6 EINECS: 203-049-8	2,2',2"-nitrilotriethanol substance with a Community workplace exposure limit	1-<10%
CAS: 61791-28-4	Alcohols , tallow , ethoxylated Aquatic Acute 1, H400; Skin Irrit. 2, H315	1-<10%

· Non-dange	ous ingredients		
64742-48-9	Naphtha (petroleum ) , hydrotreated heavy	Asp. Tox. 1, H304	1-<10%
		(Contd	on page 2)



Printing date 25.08.2016 Version number 1 Revision: 25.08.2016

Trade name: SHERALUX 715

(Contd. of page 1)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet.
- 5.2 Special hazards arising from the substance or mixture Nitrogen oxides (NOx).
- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

# SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

- 6.2 Environmental precautions Do not allow to enter sewers / surface or ground water.
- · 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

- $\cdot$  7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.

(Contd. on page 3)



Printing date 25.08.2016 Version number 1 Revision: 25.08.2016

Trade name: SHERALUX 715

(Contd. of page 2)

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles:

Store in a well-ventilated place. storage temperature: 15 up to 25 °C.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: No information available.
- · 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

· 6.1 Control parame	ster 5
· Ingredients with lin	nit values that require monitoring at the workplace:
1344-28-1 aluminiu	m oxide
WEL (Great Britain)	Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust
AGW (Germany)	Long-term value: 1.25* 10** mg/m³ 2(II);*Alveolar **Inhalable; AGS, DFG
7631-86-9 silicon di	ioxide, chemically prepared
AGW (Germany)	Long-term value: 4 E mg/m³ DFG, 2, Y
102-71-6 2,2',2"-nitr	rilotriethanol
MAK (Germany)	Long-term value: 5E mg/m³

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Avoid contact with the eyes and skin.

Avoid skin contact with the liquefied material.

Do not eat, drink, smoke or sniff while working.

- · Respiratory protection: Not necessary if room is well-ventilated.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product. Due to missing tests no recommendation to the glove material can be given for the product. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)



Printing date 25.08.2016 Version number 1 Revision: 25.08.2016

**Trade name: SHERALUX 715** 

(Contd. of page 3)

· Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses.

· Body protection: Protective work clothing.

# **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Pasty Colour: Pink

· Odour: characteristic

· pH-value: Not determined.

· Change in condition:

Melting point/Melting range: Undetermined. Boiling point/Boiling range: >100 °C

· Flash point: >65 °C

· Flammability (solid, gaseous): Not applicable.

· **Ignition temperature:** Not determined.

· Decomposition temperature: Not determined.

· **Self-igniting:** Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined. Upper: Not determined.

· Vapour pressure: Not applicable.

Density: Not determined.
 Relative density Not determined.
 Vapour density Not determined.
 Evaporation rate Not determined.

· Solubility in / Miscibility with

water: Partly miscible.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

**Dynamic:** Not determined. **Kinematic:** Not determined.

· Solvent content:

**VOC (EC):** 8.50 %

• 9.2 Other information No further relevant information available.

# **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No data available.

(Contd. on page 5)



Printing date 25.08.2016 Version number 1 Revision: 25.08.2016

Trade name: SHERALUX 715

(Contd. of page 4)

- · 10.2 Chemical stability No decomposition if used according to specifications.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials No further relevant information available.
- · 10.6 Hazardous decomposition products No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity: No data available.

· LD/LC	50 values relevant for classification:
7631-8	36-9 silicon dioxide, chemically prepared
Oral	LD50 > 10000 mg/kg (Rat)
102-71	I-6 2,2',2"-nitrilotriethanol

Oral LD50 9000 mg/kg (Rat)
Dermal LD50 >2000 mg/kg (Rabbit)

#### 64742-48-9 Naphtha (petroleum ), hydrotreated heavy

Oral LD50 >5000 mg/kg (Rat)
Dermal LD50 >3000 mg/kg (Rabbit)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- $\cdot$  Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

### · 12.1 Toxicity

· Aquatic toxicity:

#### 7631-86-9 silicon dioxide, chemically prepared

EC50/48 h | 120 mg/l (Algae)

7600 mg/l (Daphnia (Daphnia magna))

NOEC 60 mg/l (Algae)

## 102-71-6 2,2',2"-nitrilotriethanol

LC50/96 h >10000 mg/l (Leuciscus idus (golden orfe))

EC50/24 h 1920 mg/l (Daphnia)

EC50/16 h >5000 mg/l (Pseudomanas putida)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

(Contd. on page 6)



Printing date 25.08.2016 Version number 1 Revision: 25.08.2016

Trade name: SHERALUX 715

(Contd. of page 5)

#### · Additional ecological information:

#### · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

#### · Recommendation:

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

#### · Waste disposal key:

The waste disposal code as prescribed in the EuropeanWaste Catalogue (EWC) depends on the waste producer and can thus vary for a product. The waste disposal code should thus be obtained separately from the waste producer in each case.

#### · European waste catalogue:

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

# · Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

· 14.1 UN-Number	
· ADR, ADN, IMDG, IATA	Void.
· 14.2 UN proper shipping name	
· ADR, ADN, IMDG, IATA	Void.
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA	
· Class	Void.
· 14.4 Packing group	
· ADR, IMDG, IATA	Void.
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Ann	ex II of
Marpol and the IBC Code	Not applicable.
· UN "Model Regulation":	Void.

- GF



Printing date 25.08.2016 Version number 1 Revision: 25.08.2016

Trade name: SHERALUX 715

(Contd. of page 6)

# **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- · Information about limitation of use:

Employment restrictions concerning juveniles must be observed. Employment restrictions concerning pregnant and lactating women must be observed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on the state of knowledge and experience pertaining on the date of issue. The information is not to be taken as a guarantee of product properties and do not constitute the basis for a contractual legal relationship. The details must not be changed or transferred to other products. Duplication in an unchanged state is permissible.

#### · Relevant phrases

H315 Causes skin irritation.

H400 Very toxic to aquatic life.

- · Department issuing SDS: Department of product security.
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation . Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard . Category 1

· \* Data compared to the previous version altered.