Printing date 21.09.2021 Version number 5 Revision: 21.09.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: SHERAFINISH

· Article number: 990101

· 1.2 Relevant identified uses of the substance or mixture and uses advised against:

No further relevant information available.

- · Application of the substance / the mixture: Auxiliary for dental technology
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Hersteller:

PRISMAN GmbH

Otto Hahn Ring 6 - 18

D-64653 Lorsch

+49 (0) 6251 866980-0

www.prisman.de

Lieferant:

SHERA Werkstoff-Technologie GmbH & Co. KG

Espholstraße 53

D-49448 Lemförde

sdb@shera.de

+ 49 (0) 5443 9933-0

- Further information obtainable from: Department of product security.
- · 1.4 Emergency telephone number:

Giftinformationszentrum-Nord: +49 (0) 551-19240

(Information in german or english)

## **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008:

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008:

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms:



GHS02

- · Signal word: Danger
- · Hazard statements:

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

· Precautionary statements:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P271 Use only outdoors or in a well-ventilated area.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment:
- · PBT: Not applicable.

(Contd. on page 2)

Printing date 21.09.2021 Version number 5 Revision: 21.09.2021

**Trade name: SHERAFINISH** 

· vPvB: Not applicable.

(Contd. of page 1)

## **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 75-28-5 EINECS: 200-857-2 Index number: 601-004-01-8	isobutane	Flam. Gas 1A, H220; Press. Gas (Comp.), H280	50-100%
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5	ethanol	Flam. Liq. 2, H225	10-25%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Wash with water and soap.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water.

In case of troubles or persistent symptoms, consult an ophthalmologist.

· After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

 $\cdot$  4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- $\cdot$  Suitable extinguishing agents:  $\text{CO}_{\tiny{2}},$  sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

## **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- **6.2 Environmental precautions** Do not allow to enter sewers / surface or ground water.
- · 6.3 Methods and material for containment and cleaning up

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

(Contd. on page 3)

Printing date 21.09.2021 Version number 5 Revision: 21.09.2021

Trade name: SHERAFINISH

(Contd. of page 2)

#### · 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

Open and handle receptacle with care.

Use only in well ventilated areas.

### · Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray onto a naked flame or any incandescent material.

## · 7.2 Conditions for safe storage, including any incompatibilities

- · Storage
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Observe official regulations on storing packagings with pressurised containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

- · Storage class: 2B
- · 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

#### · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:				
75-28-5 isobutane				
AGW (Germany)	Long-term value: 2400 mg/m³, 1000 ppm 4(II);DFG			
64-17-5 ethanol				
WEL (Great Britain)	Long-term value: 1920 mg/m³, 1000 ppm			
AGW (Germany)	Long-term value: 380 mg/m³, 200 ppm 4(II);DFG, Y			

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection

The glove material has to be impermeable and resistant to the product. Due to missing tests no recommendation to the glove material can be given for the product. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

(Contd. on page 4)

Printing date 21.09.2021 Version number 5 Revision: 21.09.2021

Trade name: SHERAFINISH

(Contd. of page 3)

#### · Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

-11 °C

· As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, NBR Natural rubber, NR

· Eye/face protection



Tightly sealed goggles

## **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

Colour: Colourless
 Odour: characteristic
 Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling

range

· Lower and upper explosion limit

Lower: 1.8 Vol %
 Upper: 15 Vol %
 Flash point: <0 °C</li>

· Auto-ignition temperature: Product is not selfigniting.

pH Not applicable.
Viscosity: Not determined.
Kinematic viscosity Not determined.
Dynamic: Not determined.
Solubility

• water: Not miscible or difficult to mix.

Partition coefficient n-octanol/water (log value)
 Vapour pressure at 20 °C:
 Not determined.
 3,000 hPa

· Density and/or relative density

• Density at 20 °C: 0.58 g/cm<sup>3</sup>

· 9.2 Other information

· Appearance:

· Form: Aerosol

· Important information on protection of health and environment, and on safety.

 $\cdot$  Ignition temperature: 425 °C

· Explosive properties: Product is not explosive. However, formation of

explosive air / vapour mixtures are possible.

· Solvent content:

• Organic solvents: 20.0 % • VOC (EC): 80.00 %

(Contd. on page 5)

Printing date 21.09.2021 Version number 5 Revision: 21.09.2021

**Trade name: SHERAFINISH** 

(Contd. of page 4)

· Solids content: 0.0 %

· Information with regard to physical hazard classes

ExplosivesFlammable gasesVoid.Void.

· Aerosols

Extremely flammable aerosol. Pressurised container: May burst if heated.

 Oxidising gases Void. · Gases under pressure Void. · Flammable liquids Void. · Flammable solids Void. · Self-reactive substances and mixtures Void. · Pyrophoric liquids Void. · Pyrophoric solids Void. · Self-heating substances and mixtures Void. · Substances and mixtures, which emit flammable gases in contact with water Void. · Oxidising liquids Void. · Oxidising solids Void. · Organic peroxides Void. · Corrosive to metals Void. · Desensitised explosives Void.

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No data available.
- 10.2 Chemical stability No decomposition if used according to specifications.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials No further relevant information available.
- 10.6 Hazardous decomposition products No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity: No data available.
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- $\cdot \ \textbf{Germ cell mutagenicity} \ \textbf{Based on available data, the classification criteria are not met.}$
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 21.09.2021 Version number 5 Revision: 21.09.2021

Trade name: SHERAFINISH

(Contd. of page 5)

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation:

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Waste disposal key:

The waste disposal code as prescribed in the EuropeanWaste Catalogue (EWC) depends on the waste producer and can thus vary for a product. The waste disposal code should thus be obtained separately from the waste producer in each case.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number	
ADR, IMDG, IATA	UN1950
14.2 UN proper shipping name	
ADR	1950 AEROSOLS
IMDG	AEROSOLS
·IATA	AEROSOLS, flammable

(Contd. on page 7)

Printing date 21.09.2021 Version number 5 Revision: 21.09.2021

Trade name: SHERAFINISH

(Contd. of page 6)

· 14.3 Transport hazard class(es)

· ADR



· Class 2 5F Gases.

· Label 2.1

· IMDG, IATA



· Class· Label2.1

· 14.4 Packing group

· ADR, IMDG, IATA Void.

· 14.5 Environmental hazards:

· Marine pollutant: No.

• 14.6 Special precautions for user Warning: Gases.

· Hazard identification number (Kemler code):

· EMS Number: F-D,S-U

· Stowage Code SW1 Protected from sources of heat.

SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS:

Category C, Clear of living quarters.

• Segregation Code SG69 For AEROSOLS with a maximum capacity of 1

litre:

Segregation as for class 9. Stow "separated from" class

1 except for division 1.4.

For AEROSOLS with a capacity above 1 litre:

Segregation as for the appropriate subdivision of class

2.

For WASTE AEROSOLS:

Segregation as for the appropriate subdivision of class

2.

· 14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

· Transport/Additional information:

· ADR

Excepted quantities (EQ):
Limited quantities (LQ):
Excepted quantities (EQ):
Code: E0

Not permitted as Excepted Quantity

· Transport category: 2 · Tunnel restriction code: D

• Remarks: LQ: Maximum 30 kg per package (carton), apply the %hombus with black corners+label onto the carton.

(Contd. on page 8)

Printing date 21.09.2021 Version number 5 Revision: 21.09.2021

1L

Trade name: SHERAFINISH

(Contd. of page 7)

· IMDG

· Limited quantities (LQ):

Code: E0 · Excepted quantities (EQ):

Not permitted as Excepted Quantity

· UN "Model Regulation": **UN 1950 AEROSOLS, 2.1** 

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- $\cdot$  Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P3a FLAMMABLE AEROSOLS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · National regulations:
- · Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on the state of knowledge and experience pertaining on the date of issue. The information is not to be taken as a guarantee of product properties and do not constitute the basis for a contractual legal relationship. The details must not be changed or transferred to other products. Duplication in an unchanged state is permissible.

### · Relevant phrases

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

- · Department issuing SDS: Department of product security.
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Gas 1A: Flammable gases . Category 1A

Aerosol 1: Aerosols . Category 1

Press. Gas (Comp.): Gases under pressure . Compressed gas

Flam. Liq. 2: Flammable liquids . Category 2

· \* Data compared to the previous version altered.